D7-330

93001 🗀 🗀

Clairol / Retrodryers

Intercity / IC250



Yamaha/

Tefal / toaster


DESIGN AUG. 1992

P.63

TS 149

D7-330

Froduct Design of



DESIGN AUG. 1992 P. 64 MAGAZINE



TS 149

CONSUMER REPORTS

PAGE 301

Eat your cake and have it, too?

ombine sugar, butter, nik, and eggs and you have the makings of a good cake but a poor dietone high in calories. (at, and cholesterol. Worried that you're worried enough to go without dessert, two big bakers, Entenmann's and Charles Freihofer Baking Co., recently came up with a dietary non sequitur-low-fat, no-cholesterol cakes, cookies, muffins, and Danish pastry.

We tried each company's new pound cake (hereafter dubbed unbutter cake), comparing it with the all-butter counterpart.

As advertised, the new cakes contain no cholesterol. The Entenmann's products contain essentially no fat, while the Freihofer's is low in lat-especially saturated fal.

Both unbuser pound cakes use egg whites instead of whole eggs and nonfat milk in place of whole milk.

The Freihofer's No Cholesterol Golden Pound Cake uses

margarine instead of butter, that eliminates cholesterol and sharply reduces the saturatedfat content-to less than one gram per one-ounce serving, from four in the all-butter cake. Overall, a serving of unbutter cake has four grams of fat, ver-Sas six in the all-butter. The Entermann's Fat Free Cholesterol Free Golden Loaf Cake is

made virtually without fat.

Both unbutter sakes contain a stiff dose of sugar, onsequently, the two cakes aren't dramatically lower in calonics than their all-butter cousins. Our analyses show that Eptenmann's and Freihofer's unbutter cakes contain 78 and 94 calories per serving, respectively; their all-butter counterparts, 113 to 114 calories. -

We asked a panel of staffers to sample each company's unbutter and all-butter pound cakes. Both unbutter cakes pleased a number of staffers. They preferred the Freihofer's unbutter over the Entenmann's, but not by much. Some favored the lemony flavor of the Freihofer's, while others chose the vanilla-like taste of the Entenmann's.

The staffers thought the Freihofer's unbutter could also hold its own against the Freihofer's All Butter, there was no clear favorite among the two. But most staffers said they liked the Entenmann's All Buter Pound Loaf better than its unbutter cousin.

Both baking companies apparently hope to make more of less. In our area, the Freihofer's unbutter pound cake sells for \$2.69, a dime more than the all-butter counterpart; the Entenmann's unbutter (\$2,89) costs 40 cents, or 16 percent, more than the all-but-ter version. The penny-wise dieter can make less of more by substituting fruit for cake.



Tasty New low-fat, no-cholesterol cakes don't sacrifice flavor.

Ready, world? At last, a toaster with a microchip

n our long history of testing toasters, we have never been overly demanding. Basically, we expect these modest appliances to consistently produce evenly browned toast, first batch as brown as the sixth. The last time we tested toasters, a \$40 model, the Salton TO-6, did that well enough.

Naturally, when we came across an ad for a computerized \$130 model, the St. Gallen Countdown, we couldn't help wondering how a microchip and a tripling of the buyer's outlay

might improve the ritual of browning bread. So we (as Cat. No. 0878, from the Chef's Catalog, 3215 Commercial Ave., Northbrook, III. 60062-1900).

The Countdown, like the Salton, produced toast the desired overall shade of brown, first batch the same as the sixth. Beyond that, however, the Countdown provides additional toasting facilities that, up to now, you may not have known you needed.

bought a Countdown by mail


For example, it can store three toasting times-up to 3 minutes, 45 seconds-in its memory. That programming feature can handle the different preferences of family members, or let you toast English muffins longer than white bread. Setting and selecting those times proved simple enough. But then, we've never had trouble twiddling the knob or sliding the lever that regulates toasting time on ordinary toasters.

If the Countdown is hot from a previous batch, its microchip compensates by reducing the programmed time you select. Many inexpensive toasters also sense preheating and shorten the cycle accordingly. But they do it the old-fashioned way, with a thermostat.

The Countdown's controls include a handy Warm/Defrost setting that lets you thaw frozen bread without toasting it, or keep toast warm for up to six minutes. It worked well.

Like many of the less expensive toasters we've tested recently, the Countdown has a single wide slot that easily accommodates bagels and thick slices of bread. The toaster lowers the bread automatically when you press the Start/Stop pad. When time's up, the toast peeks out of the slot and the Countdown emits a few shrill beeps to alert you. The toaster's plastic housing stays cool to the touch.

The Countdown adds some small measure of versatility to the task of toasting bread while solving a number of problems that we, at least, don't have.



Toasty Microchip-equipped Countdown is an expensive way to turn bread brown.

CONSUMER REPORTS MAY 1991

MAY 1991

BRAND-NAME RATINGS

Side-by-side refrigerators

Autosound systems

Tilles & withvalors

Venut

Road tests: Ford Tempo, Isuzu Stylus, Mercury Tracer, Pontiac Sunbird

373

Tests of 237 interior latexes






Setter Copy in Class 99/385
AU 242

another copy in Do Ewarming Box

WILLIAMS - SONOMA JULY 1990




F The Waring® Microchip Toaster, with its stay-cool ABS plastic exterior, is backed by the name and reputation of a fine old American manu-facturer. The toaster has a long, self-centering slot that accommodates two thick or thin slices of bread or English muffins and microchip controls that produce consistent results. Features include defrosting capability and a keep-warm switch that holds toast in lowered position after toasting. UL listed. Crumb tray under base, 133/4" x 4" x 61/2" high with a 40" cord. #78-444703 Regularly \$48.00 Special Price \$40.00



D Ideal for the table as well as a breakfast tray, this white porcelain Sugar Bowl & Creamer will complement any tableware. Fully glazed, 41/2-02. bowl, 51/2-02. creamer; 31/2" and 23/4" high respectively. Made in Japan. The set #78-444323 \$9.00


E Simple White Porcelain Mugs are of excellent design and weight — the base and sides are thick enough to keep your coffee warm but have a thinner rim for pleasurable drinking. They are made of high-fired, fully glazed porcelain. Microwave and dishwasher safe. 11-oz. cap., 3½ high, made in China. Set of stx #78-364083 \$12.00



G Our classic Bistro Table Linen will give a fresh look to your summer table. Made of 100% cotton in a jacquard weave, it is finely detailed with a white stylized flower woven into the checks. Tablecloths and napkins have generously wide hems. Round tablecloth has crisp white binding at the hem. Machine washable. Made especially for us in Hungary. ® Tablecloths:


70" square #78-314310 \$25.00 70" round #78-314344 \$27.00 70" x 90" #78-314328 \$31.00 70" x 110" #78-314336 \$37.00 Napkins, 18" sq. Set of six #78-314369 \$13.50

B.N. GENIUS CATALOZUE (RECID 10/24/89) p. 35



ONE GOOD TURN DESERVES ANOTHER

Turn heads and sales with the newest from Conair Cuisine



Remember how good the original line of Conair Cursine appliances was for business? 103

Well, Conair believes one good turn deserves another So now we've created the Conair Cuisine Ultra Series to make your sales turn laster than ever with something for every one of your customers.

The Conair Cuisine Ultra Series caters to your upscale customers who are very down to earth about budgets. It provides them with a necessary workforce of precision designed kitchen appliances. Each is built for (op performance and convenience. All are tastefully designed with superior quality and a generous dash of ingenuity.

The Conair Culsine Ultra Series: guaranteed to turn heads and sales.

SEPT 26 1988 PAGE 103





©1988 Conair Corporation

D7-330 A.U. 292 MODEL NO. LT-100 Nov. 1987 **KEY FEATURES:** Cool wall sides casing

PAGE 100 HONG KONG ENTERPRISE

- Long slot for variable bread size
- Flexible for thick and thin bread
- Variable browning control for fresh and frozen bread.
- Available for mechanical and electronics adjustment browning control.
- Clean and high efficiency heating element assembly.
- Low electricity consumption.
- High temperature resistance poly-carbonate casing parts.
- High rigidity and safety construction.
- Available for your own brandname and graphics design, required colour combination for metal and plastic parts.

Nov. 1987


INDUSTRIES LIMITED

179, Wai Yip Street, 11/F., Kwun Tong, Kowloon, Hong Kong. Tel : 3-432195, 3-438098, 3-448037.

Fax: (852) 3-7978071.

elex: 33699 LINKO HX

D7-330



PAGE 100

HONG KONG ENTERPRISE KEY FEATURES

Nov. 1987

- Cool wall sides casing
- Long slot for variable bread size
- Flexible for thick and thin bread
- Variable browning control for fresh and frozen bread.
- Available for mechanical and electronics adjustment browning control.
- Clean and high efficiency heating element assembly.
- Low electricity consumption.
- High temperature resistance poly-carbonate casing parts.
- High rigidity and safety construction.
- Available for your own brandname and graphics design, required colour combination for metal and plastic parts.

INCOMINDUSTRIES LIMITED

179, Wai Yip Street, 11/F., Kwum Tong, Kowloon, Hong Kong.

Tel 1 3-432195, 3-438098, 3-448037.

Fax (852) 3-7978071 ELECTRICAL PROPERTY.

See The New Russell Hobbs "Cool To Touch" Microchip Toaster Al Booth N4248-N4253

APRIL 6, 1987 HFD PAGE 97



5600

When filled suit incides a major service to the make the best toward in the policy lip and the way a more generation of Microcchip ToASTER9 designed by an an area generation of Microcchip ToASTER9 designed by an area of the edvanced lossing pysiem is the flussed Hobbe Microcrocksor which is really a minisompute. It replaces the old fash-oned in the most in floral prompting to the control of the prompting of the


evenient controls are up front where you can see them. The MICRO-P SHADE SELECTOR provides an infinite range of toast chades. An anious FROZEN BREAD BUTTON automatically adjusts the toasting is to companisate for frozen bread or pastry without changing the rochip shade selector. The CANCEL/AUTO RESET BUTTON popsional mid-cycle and resets without effecting the next toasting cycle.

The new COOL-TO TOUCH MICROCHIP TOASTER series includes two models. Model 5600 styled in white and gray and model 5504 in being and oysier.

Coordinated Keilles. Toaslets and Collegnakers Designed for Today's Total Look Kitchen




AUTOMATICALI CIDICATTA CIMO



AUTOMATIC JUG KETTLE SMS



DELUXE FILTER COFFEENAKER-3318




4 GLICE MICROCHIP TOASTER-SATT

Contact Global Marketing Corporation

RO. Box 241; Pompton Piains, NJ, 07444 • (201) 839-8533

another copy in 37.328

Cleaner Copy in IT Box



PAGE 306

1 Toastmaster Under Cabinet Toaster. Space saving design mounts under cabinet. Four-slice toaster with color control dial, automatic shut-off with audible signal, signal light "on" indicator and hinged crumb tray. Adjustable mounting bracket. 1000 watts. (7 lbs.)

240 08E \$69.95 Your Cost \$44.90

2 Farberware Twin Control Toaster. Four extra wide toasting wells to accommodate over-sized breads, muffins and waffles. Features precision fresh or frozen temperature settings. Hinged crumb tray. 1650 watts. (7 lbs.)

264 36E \$55.99 Your Cost \$28.90

3 Toasimaster 4-Silce Toaster. Masterminde heat/moisture sensor makes perfect toast. Wide toast slots, color controls and hinged crumb tray. 1350 watts. (4.lbs.)

240 04E \$32.50 Your Cost \$22.90

4 Maxim Wide-Mouth Toaster. Extra long and large toast slots automatically adjust to bread thickness. Cool-touch exterior. Browns perfectly every time. Easy empty crumb catcher. 1050 watts. (5 lbs.)

251 35E \$50.00 Your Cost \$39.50

6 Black & Decker Deluxe Toaster. Extra wide toast slots automatically adjust to bread thickness. Features separate toast/pastry and keep warm/pop-up controls. Thermometer style toast color selector. Swing open crumb tray. 800 watts. (4 lbs.)

Toastmaster

The Toast of

the Town

262 11E \$33.98 Your Cost \$23.90


7 Toastmaster Deluxe Bakery Toaster. Mastermind® heat/moisture sensor makes perfect toast. Bakery switch adjusts wattage to warm muffins and bagels on one side and toast on the other. Adjustable slot-width control and hinged crumb tray. 800 watts. (4 lbs.)

240 03E \$34.50 Your Cost \$21.90

1987 CAT. () 1986

REFER TO PAGE TWO FOR INFORMATION ON PRICING AND WARRANTIES

*Reference Pri





Toastmaster Under Cabinet Toaster, Space saving design mounts under cabinet. Four-slice toaster with color control dial, automatic shut-off with audible signal, signal light "on" Indicator and hinged crumb tray. Adjustable mounting bracket, 1000 watts. (7 lbs.)

240 08E \$69.95 Your Cost \$44.90

2 Farberware Twin Control Toaster, Four extra wide toasting wells to accommodate over-sized breads, muffins and waffles. Features pre-cision fresh or frozen temperature settings, Hinged crumb tray, 1650 watts. (7 lbs.)

264 36E \$55.99 Your Cost \$28.90

Tossimaster 4-8lice Tosster. Masterminde heat/moisture sensor makes perfect tosst. Wide tosst slots, color controls and hinged crumb tray, 1350 watts. (4.lbs.)

240 04E \$32,50 Your Cost \$22.90

4 Maxim Wide-Mouth Toaster, Extra long and large toast slots automatically adjust to bread thickness. Cool-touch exterior. Browns perfectly every time. Easy empty crumb catcher. 1050 watts. (5 lbs.)

261 36E \$50.00 Your Cost \$39.50

5 Sunbeam Automatic Toaster, Leverless 2 slice toaster. Toast lowers and raises automatically, Front toasting control, 1375 watts. (6 lbs.) 230 33E \$76.95 Vour Cost \$48.90


6 Black & Decker Deluxe Toaster. Extra wide toast slots automatically adjust to bread thickness. Features separate toast/pastry and keep warm/pop-up controls. Thermometer style toast color selector. Swing open crumb tray, 800 watta. (4 lbs.)

Your Cost \$23.90 262 11E \$33.98

7 Toastmaster Deluxe Bakery Toaster. Mas-terminde heat/moisture sensor makes perfect toast. Bakery switch adjusts waitage to warm muffins and bagels on one side and toast on the

8 Toastmaster Pastry Toaster, Masterminde heat/moisture sensor control and hinged crumb tray, 800 watts. (4 lbs.):

240.40E \$22.75 Your Cost \$14.90



You are about to see what the world has to offer this year.

Traveling the world's markets is just the beginning for buyers at W. Bell & Co. The painstaking selection process takes extra time and talent, and makes W. Bell unique among retail merchants. By going to the prime sources, we get not only the world's widest choices, but also the right prices.

We buy pearls from Japan, opals from Australia, diamonds from Europe — rubies, sapphires and jade from the Far East. Our own jewelers create exclusive designs, which skilled craftsmen execute right in our own shops.

Our buyers select each country's choicest offerings — fine china and porcelains, brilliant crystal, exotic woods, supple leathers, precision optics, giftwares and housewares. . . for inclusion in this collection. Our experience shows up, in our showrooms, as extraordinarily fine quality and unusually low prices. If you appreciate value in jewelry and fine imported gifts, you should come to W. Bell.

There's a world of difference at W. Bell & Co.



notiert




vor sich hin (in »e« und in I, den der eher streng-sacher Designer Richard Sapper baß am Objekt für Alessi gebinliche differenzierte Form rmal melodischen Messings: 158 DM.





Phantasie anregend zeigt sich Rowentas »Toast-Star«: Der Toastautomat mit weißem, isolierendem Gehäuse, bzw. fein strukturiertem Dekor, bräunt nicht nur lange Brotscheiben und sorgt mit einem Rösteraufsatz für backfrische Brötchen, er kann mit einer Sandwichzange auch delikate Sandwich-Varianten zubereiten.







enennt die italienische GIRMI ertes Designstück. Die Schömmenden Trend im Design it ihrer weißgrauen Zurückvon dem chromfunkelnden aditionalisten ab. Preis: ca.

st heute »in«, der »Teebeu-Veiden hat für diesen Trend – nie – diese Teesieb-Portions-



»Aroma Art« nennt man bei Melitta diesen Kaffeeautomaten, den mit seinen höchst differenzierten Kugelformen "offen gesagt, eine Reihe der Kunden einfach ablehnen wird" (Melitta-Argumentation). Den offensichtlichen Mut, aus dem Design-Einerlei in »Art«-Dimensionen vorzustoßen, will man sich im hart umkämpften Kaffeemaschinenmarkt von der "Zielgruppe der Individualisten« honorieren lassen. Die andere Art des »Aroma Art« kommt von dem Designer Octavio Nüsse — oCo design, Münster. Preis: ca. 87 DM.






ntroducing the First 4-Slice Toaster..... from Young Wai Products Ltd.




- Deluxe Almond/Woodgrain Finish
- Dual Thermostatic Controls
- Compact Size To Save Space
- Fits Into The Line Of Its 2-Slice Predecessor
- Economically Priced



Young Wai Products Limited

HUNG MOU INDUSTRIAL BLDG.. 11/F FLAT B. 62 HUNG TO ROAD, KWUN TONG, HONG KO-TEL 3-444149 3-444140 TELEX 37701 YNWAY HX CABLE ADDRESS YNGWAYPROD





日本国特許庁

JAPAN #446374

昭和 52.4.4 発行

匠 公 報 意

11

446374

出願 昭 45.4.15 意願 昭 45-12100 登録 昭 51.12.24 48 - 2556

創 和 田

大阪市阿倍野区長池町22の22シ 直 木

ヤーブ株式会社内

意 匠 権 者 シャープ株式会社 大阪市阿倍野区長池町22の22


代理人 弁理士 福 士 愛 彦

意匠に係る物品 トースター


この意匠は図面代用写真によつて表わされたものであるから細部については原本を参照されたい

正面図

APRIL 4,1977



背面図



1. D7-330 XR 日本国特片厅

#446374 1 47.0014

昭和 52.4.4 発行 意匠公公 報

11

446374

出願 昭 45.4.15 意願 昭 45-12100 登録 昭 51.12.24

審判 昭 48-2556

者 和 田 直 木 大阪市阿倍野区長池町 2 2 の 2 2 シャープ株式会社内 ヤープ株式会社内

意 匠 権 者 シャープ株式会社 大阪市阿倍野区長池町22の22


代理人 弁理士 福 士 愛 彦

意匠に係る物品 トースター


との意匠は図面代用写真によつて表わされたものであるから細部については原本を参照されたい

正面図

APRIL 4, 1977



背面図




(2)


11

平面図



底面図






左側面図



右側面図




446374

\$ 18 A(2) D # 8

明和 52.4.4 产行 汽 阿國軍平


446374





底面図

共同に係る的は リニ・シュニ



APRIL 4, 1977. JAPAN O #446374


左側面図

右側面図









D7-330 Au 293


34b 37-08 14 54 045

O.T.: 6.2.1969

1454045

1969 721184

FEB. 1969 GERMANY



BUNDESREPUBLIK DEUTSCHLAND



62

Deutsche Kl.: 34 b - 37/08

> GROUP CLASS.

100	055-1			L : £4	. 1/1/	51015
11)	Offenl	egun	.gssc.	urm	. 141	54 045

Aktenzeichen:

P 14 54 045.5 (L 56239)

Anmeldetag:

11. April 1967

2 43

21)

Offenlegungstag: 6. Februar 1969

Ausstellungspriorität:

30) Unionspriorität

32 Datum:

(33) Land:

(31) Aktenzeichen:

(54) Bezeichnung:

OLS 1,454,045 Electric toaster, in which flat heating elements are arranged vertically in the heating Elektrisch chamber. The space between two elements forms an adjustable heating compartment. 11.4.67.
L 56239 LICENTIA PATENTVERWALTUNGS GmbH

(6.2.69.) A47j

Zusatz zu: (61)

@ Ausscheidung aus:

71) Anmelder:

Licentia Patentverwaltungs-GmbH, 6000 Frankfurt

Vertreter:

@ Als Erfinder benannt: Friedlaender, Hans-Werner, 6078 Neu-Isenburg

Benachrichtigung gemäß Art. 7 § 1 Abs. 2 Nr. 1 d. Ges. v. 4, 9, 1967 (BGBl. I S. 960): 15. 2, 1968

Licentia
Patent-Versaltungs-GmbH
Frankfurt (Main)

72/184

10.4.1967 Kuhn/hb

Elektrischer Brotröster

Die Erfindung bezieht sich auf einen elektrischen Brotröster mit senkrecht im Röstraum angeordneten Flüchenheizkörpern, webei jeweils zwei im Abstand zueinender stehende Flüchenheizkörper eine Röstkommer bilden.

Elektrische Brotröster mit senkrecht im Röstraum angeordneten Flächenheizkörpern sind an sich bekannt. Die Flächenheiskörper sind Gabei in der Weise im Röstraum angeordnet, daß jeweils zwei Flächenheizkörper eine Röstkammer bilden. Der Abstand der Flächenheizkörper zueinander ist dabei so bemessen, daß zwischen diesengerade eine Brotscheibe üblicher Dicke eine geschoben werden kann. Mit den bekannten Brotröstern ist es

72/184

10.4.1967 Kuhn/hb

daher nicht Möglich Brötchen aufzubacken, da diese auf Grund ihrer Form bzw. ihres Durchmessers nicht in die nur speziell zum Rösten von Brotscheiben ausgelegte Röstkammer eingeschoben werden können.

Der Erfindung liegt die Aufgabe zugrunde, einen Brotröster zu schaffen, in dem außer einem Rösten von Brotscheiben auch das Rösten bzw. Aufbacken von Brötchen durchführbar ist.

Die gestellte Aufgabe wird erfindungsgemäß dadurch gelöst, daß die Röstkammer in ihrer Weite veränderbar ist. Zu diesem Zweck ist der den Röstraum in zwei Röstkammern einteilende Flächenheizkörper herausnehmbar in diesem gehaltert.

Die mit der Erfindung erzielten Vorteile bestehen insbesondere darin, daß mit einem derartigen Brotröster sowohl Brotscheiben als auch Brötchen geröstet bzw. aufgebacken werden können.

Zwei Ausführungsbeispiele der Erfindung sind in der Zeichnung dargestellt und werden im folgenden näher beschrieben:

Mit 1 ist das Gehäuse eines Brotrösters bezeichnet, das einen von oben beschickbaren Röstraum 2 umschließt. In dem Röstraum sind senkrecht in diesem stehend mehrere Flächenheiskörper 72/164

10.4.1967 Kubn/hb

3,4,5 angeorduct. Die Flächenheizkörper 3 sind debei der Wandung des Gehäuses 1 augsordnet, während die Flächenheiz- körper 4,5 etwa in der Mitte des Röstraumes 2 angeordnet sind. Durch diese Anordnung werden zwei Röstkammern 6 baw. 7 gebildet.

Um nun auch ein von der üblichen broteckeibendiche abweichezdes Röstgut, z.B. Brötchen, behandeln zu können, ist der
Brotröster derert ausgebildet, daß die Röstkammer in ihrer
Größe bzw. ihrer Weite verändert werden kann. Zu diesem Zweck
ist der den Röstraum in zwei Röstkammern einteilende Flächenheizkörper 5 herausnehmber in dieser angeordnet. Der herausnehmbere Flächenheizkörper ist dabei in zweckmäßiger Weise
als auswechselbare Baueinheit 5' ausgebildet. Diese Baueinheit
besteht aus dem Flächenheizkörper 5 und einen den Flächenheizkörper vor Berühren mit dem Röstgut schützenden Gitter 10.
Die Baueinheit 5' besitzt auf ihrer Unterseite einen elektrischen Stockkontakt 11,11', der nach dem Einführen der
Baueinheit in den Röstraum 2 die elektrische Verbindung zu
dem Heizkörper herstellt.

Um das Herausnehmen der Baueinheit 5' aus dem Röstraum 2 zu erleichtern, ist diese mit einem Aushebe- bzw. Tragegriff 12 - 4 --

72/184

10.4.1967 Kuhn/hb

versehen. Weiterbin sind auf der Unterseite der Baueinheit Aufstellfüße 13 ungeordnet.

Die Länge dieser Aufstellfüße ist dabei größer als die Höhe der Steckbentskte 11,11'. Die Aufstellfüße 13 dienen zum einen als Steck- bzw. Finierelemente für die eingesetzte Baueinheit 5' und zum anderen sollen sie nach dem Herausnehmen der Baueinheit aus dem Röstraum 2 die Steckkontakte 11,11' beim Aufstellen der Baueinheit vor Belastung schützen.

Bei dem Ausführungebeispiel nach Fig. 2 ist der durch die Mitte des Röstraumes 2 verlaufende Flächenheizkörper zweiteilig ausgebildet. Der eine Teil 4 ist dabei im Röstraum ortsfest und der andere Teil 5 herausnehmbar gehaltert. Dadurch wird der Röstraum 2 in einen Raum zum Rösten von Brotscheiben und einen Raum zum Rösten von Brötchen eingeteilt. Es ist also bei diesem Brotröster möglich, sowohl Brotscheiben als auch Brötchen gleichzeitig zu rösten.

- 4 Seiten Beschreibung
- 8 Patentansprüche und
- 1 Blatt Zeichnung mit 2 Figuren

Patentansprüche

- 1. Elektrischer Brotröster mit senkrecht im Röstraum angsordneten Flächenheizkörpern, wobei jeweils zwei im Abstand zueinender stehende Flächenheizkörper eine Röstkemmer bilden, dadurch gekommzeichnet, daß die Röstkemmer in ihrer Weite veränderber ist.
- 2. Brotröster nach Anspruch 1, dadurch gekonnzeichnet, daß der den Röstraum (2) in zwei Röstkammern (6,7) teilende Flächenheizkörper (5) herausnehmber im Röstraum gehaltert ist.
- 3. Brotröster nach Anspruch 1, dadurch gekennzeichnet, duß die Flächenheizkörper als in ihrer Lage veränderbare Baueinheiten ausgebildet eind.
- 4. Brotröster nach Anspruch 3. dadurch gekennzeichnet, daß die Baueinheit (5') aus dem Flächenheizkörper (5) und einem dem Flächenheizkörper zugeordneten Schutzgitter (10) besteht:
- 5. Brotröster nach Anspruch 3 odor 4, dadurch gekennzeichnet, daß die Baueinheit (5') auf der Unterseite mit


72/184

10,4,1967 Kulin/hb

elektrischen Steckkontekten (11,11') versehen ist, die nach dem Einsetzen der Baueinheit (5') in den Röstraum (2) den elektrischen Ansebluß zu dem Fläckenheizkörper (5) herstellen.

- 6. Brotröster nach Anspruch 3 oder den folgenden, dedurch gekennzeichnet, daß die Baueinheit (5') mit einem Aushabegriff (12) versehen ist.
- 7. Brotröster nach Anspruch 3 oder den folgenden, dudurch gekennselchuet, daß die Baueinheit (5') auf ihrer Unterseite Aufstellfüße (13) aufweist, deren Länge so bemessen ist, daß sie die Steckhontakte (11,11') überragen.
- 8. Brotröster nach Anspruch 1, dadurch gekennzeichnet, daß der durch die Mitte des Röstraumes (2) verlaufende
 Flächenheizkörper zweiteilig ausgebildet ist, wobei der eine
 Teil (4) ortsfest und der andere Teil (5) herausnehmbar im
 Röstraum gehaltert ist.

Quality home electric appliances bring you new standards in efficiency, economy and convenience.



特許庁

JAPAN #288181

昭和 43,11.20 発行

意 匠 公 報

11

意願 昭 41-16958 登録 昭 43.8.22 出願 昭 41.5.31 288181 門真市大字門真1006松下電器 礼 地 作 者 fill 産業株式会社内 政 敏 同所 内 [ii] 同所 兇 H 勘 [6] 門真市大字門真1006 松下電器產業株式会社 者 匠植 恋 īΕ 治 下 者 松 代 表 治 外1名 悦 古 齮 代理人弁理士 Nov. 20, 1968

意匠に係る物品


il.

トースター

背而図は正面図と対称にあらわれる









Á

平面図


底面図



左側面図




右側面図




MART 10-65

SPOTLIGHT On Smokeless Broilers

WEST BEND New smokeless broiler-rotisserie, model 5415, constructed of stainless steel, chrome and satin-finish aluminum features a low silhouette for convenient storage. Unit, 51/4 in. high x 111/8 in. wide x 231/4 in. long, has grill broiling surface of over 150 sq. in. Rotisserie attachment has compact heavy-duty motor which turns meat slowly and evenly (one revolution per minute). A "thermal shield" created by heat




MARLUN New indoor-outdoor grille and rotisserie, "Black Angus," features exclusive infinite heat control which regulates the speed of broiling as well as keeps food warm after it is cooked. It is located in the motor box of the rotisserie attachment. Unit is said to be smokeless due to slanting walls which drain drippings away from tubular heating element, channeling all fat



Marlun model B-67 grille

to the concealed drip-pan where it can't smoke, flare up or spatter. Cooking area measures $17\frac{1}{2} \times 11\frac{1}{2}$ in. Made of chrome-plated steel, operates on a-c, d-c. Price of grille and rotisserie attachment: \$41.95. Indoor-outdoor grille, model B-67 \$29.95. Rotisserie, model B-68 \$12.00. Marlun Mfg. Co. Inc., 58 N. 15th St., Brooklyn 22, N. Y.


pominion "Magic mirror" (top tray of firm's new double tray engineering) with mirror-like, high slant surfaces which reflect heat evenly in all directions, while draining grease drippings away (grease is stored in lower pan made of vitreous enamel for rinse-off cleaning ease) is a special feature of Rotisserie/Broiler model 2550. The 120-volt, 1,550-watt unit, 21 in. wide x 17 in. deep x 4 in. high, has a



Dominion model 2550

broiler surface 20 in. x 10 in., which will cook up to 12-lb. roasts. Unit features handles on side, basic rotisserie plus 4-skewer shish kebab adaptor rack; two-level rack adjusts broiling height; rotisserie posts can be adjusted to several levels. With electric cord, rotisserie, and heating element removed, unit is completely immersible. All rotisserie parts, including motor, spit, and guides, easily disassemble for storage under hinged, hardwood cutting board. One-year replacement guarantee. Dominion Electric Corp., Mansfield, O.


TROY Cleaning ease is an important feature of the 7-way portable broiler rotisserie, Model BRC/ST by Troy. Body of the unit is made of stainless steel which, says the factory, not only makes it easier to clean, but



Troy Model BRC/ST

also helps preserve the "new" look essential for countertop appliances. The unit's body detaches from the Calrod heating element, permitting complete immersion in water. Broiler is available with an extra-long detachable cord. Retail price, under \$30. Troy Industries, Inc., 135 Marbledale Rd., Tuckahoe, N. Y.


MASTER New smokeless rotisserie-broiler, model RO-1, features "Vapor-Control" cooking, which is said to keep meat fresh tasting, and moist. Unit utilizes "water system" of keeping the grease cool; this is also said to prevent smoke, and to make cleaning easy.



Master model RO-1

Features include stainless steel pan, 1500 watt tubular type element, two position chrome grid, and wood handles. Unit completely disassembles for storage, is UL approved, and is guaranteed for 1 year. Moster Corp., 2101 S. 41st St., Abilene 1, Tex.


COLE ELECTRIC "Burg O Mat," Model 9010 is a toaster and a sandwich grill as well as a broiler. Unit achieves its smokeless, spatterless feature through use of vertical broiling of meat and a drip tray underneath. It is finished in chrome on the sides and copper-anodized aluminum on the ends. Legs, timer lever,



Cole Electric model 9010

and handles are of black Bakelite. Meat holder will take steaks up to 1 1/4 inches thick. Unit has a safety feature that will not allow it to turn on unless grid is in position and timer lever is pushed down. Meat holder and drip tray remove for cleaning. Cole Electric Mfg. Co., 241-245 Ashland Rd., Mansfield, O.

BROIL-KING New "Open-Range" infra-red rotisserie, model 270, is said to sear foods quickly without smoke or spatter. Unit has stainless steel upper pan, large lower aluminum pan, two position rack, and



Broil-King model 270

slide-on brackets. Parts are removable for cleaning. Measurements: $17\frac{1}{2} \times 11 \times 10\frac{1}{2}$ in. Operates on 115 volts, a-c. Weight: 15 lbs. International Appliance Corp., 918-40 Stanley Ave., Brooklyn, N. Y.

(Continued on page 58)

ELECTRIC HOUSEWARES